


PERFOLISSE[®]

SOLUTION

Filling of Guardrails




Economic

Rapid implementation

Perfect finish

References in stock



Information : Tel. (+33) 4 78 55 24 02

HEADQUARTER

25 rue des Quatre Frères Mougeotte
BP 307 - 88105 SAINT-DIÉ-DES-VOSGES CEDEX
Tel. (+33) 3 29 55 21 43
contact@gantois.com

SHOWROOM PARIS

115 rue Saint Maur
75011 PARIS
Tel. (+33) 1 49 46 26 18

SHOWROOM LYON / VILLEURBANNE

Immeuble «Park Avenue» - 81, boulevard Stalingrad
69100 VILLEURBANNE
Tel. (+33) 4 78 55 24 02

Trade offices ;

BORDEAUX / BÈGLES


Centre d'affaires BURO 2, 388 Bd JJ Bosc
33323 BÈGLES CEDEX

LILLE / HÉNIN

Centre Euralogistic, 153 rue des Hauts de France
62110 HÉNIN-BEAUMONT

RENNES / SAINT-GRÉGOIRE

1 bis rue d'Ouessant BP 96241
35760 SAINT-GRÉGOIRE CEDEX



Economic
Rapid implementation
Perfect finish
References in stock

Steel perforated sheet metal railing filling coils

The most **rational** and **economical** way to infill railings with perforated sheets: no more scrap when cutting, no more time wasted on layout...


You cut the **PERFOLISSE**® coil to the length you need before assembling it onto your railing posts.

The solid edges along the length guarantee a perfect finish.



SOLUTION

Filling of Guardrails



Formats of templates that must not be able to pass through the heights indicated below :




Ø 180 mm
de 0,8 m à 1 m



Ø 110 mm
de 0 m à 0,8 m



Ø 50 mm
de 0 m à 0,6 m
Cas : grillage, filet,
tôles perforées



PERFOLISSE®

width 500

with assembly on profiles

Ref. 2000140 - Perforation R10 T15 SENS A

Material : Magnelis

*width 500 mm - edge 24 mm -
empty 40,3%*



SCALE
1/1

Ref. 2000142 - Perforation R15 T21

Material : Magnelis

*width 500 mm - edge 24 mm -
empty 46,3%*




SCALE
1/1

Ref. 2000138 - Perforation R20 T25 SENS A

Material : Magnelis

*width 500 mm - edge 23,5 mm -
empty 57,6%*



SCALE
1/1

Ref. 2000131 - Perforation NEPTUNE


Material : Magnelis

*width 500 mm - edge 24 mm -
empty 52% - ovoid holes 29x20 mm -
spacing 36x48 mm*

See also : **Perforation PLUTON**

(Réf. 2000141)

*ovoid holes 14,5x10 mm - spacing
18x24 mm*




SCALE
1/2

Ref. 2000139 - Perforation RYTHMIC OXY

Material : Magnelis

*width 500 mm - edge 31,5 mm -
empty 16% average*



SCALE
1/10